

SPECS/DIMENSIONS



PH36HS


36" SS PRO WALL HOOD

[Print](#)

UPC code	825225893561
Material	Stainless steel
Watts (W)	7200
Current (A)	20
Volts (V)	120
Frequency (Hz)	60
Approval certificates	CSA
Power cord length (in)	60"
Plug type	120V-3 prong
Overall appliance dimensions (HxWxD) (in)	18" / x 35 15/16" x 24"
Product packaging dimensions (HxWxD) (in)	31.99 x 22.24 x 39.49
Height of the chimney (in)	
Vertical rise height	
Required distance above cooktop/ranges	30"/30"
Net weight (lbs)	75
Gross weight (lbs)	84
Motor location	Without motor
Maximum CFM	
Diameter of air duct (in) top	10
Diameter of air duct (in) back	10
Discharge direction	
No-return airflow flap	No
Operating Mode	Ducted
Number of speed settings	3-stage
Delay Shut off modes	10
Silence level (dBA)	
Required accessories	Blower

Optional accessories	DC36US, DCT36US, KHS36QS, RFPLT1000, RFPLT600, RJ310, WC10
Number of lights	2
Type of lamps used	
Total power of the lamps (W)	40; 80
Grease filter material	Metal grease filter
Grease filter type	
Clean filter reminders	
Remote control	No
Number of motors	0
SKU	PH36HS
SERIES	

Diagrams



[Click Here to View Features](#)

[Print](#) [Close](#) [Email](#)